Pole Signs

Standards

1. Sign does not exceed the width of the lot frontage on which it is located up to a maximum of 200sf.
Meets requirement _____ Does not meet requirement _____

2. Maximum height of the sign along IH30 is 40’ for food, lodging, and gas, all other uses 30’. The maximum height along all other roads is 20’
Meets requirement _____ Does not meet requirement _____

3. Sign is either monopole or dual pole and require engineered sealed drawings.
Meets requirement _____ Does not meet requirement _____

4. Minimum clearance from grade to the bottom of the sign is 7’
Meets requirement _____ Does not meet requirement _____

5. Sign must be setback from all property lines a minimum of 10’ and 60’ away from all other signs.
Meets requirement _____ Does not meet requirement _____

Permit Requirements

Layout

1. Provide design and pictures to scale showing the layout, height, size and distance from the ground of the sign.
2. Provide a site plan and/or plat to scale showing all right of way, easements, property lines and lot dimensions.
3. Identify on site plan the proposed location of the pole sign.
    A. All freestanding signs must be 30’ from adjoining property lines with 200 feet of frontage.
    B. 20 feet from adjoining property lines with 100’ but less than 200’
    C. 10 feet from adjoining property lines with 100’ or less
    D. And 60’ from any other freestanding sign.
    E. Lots less than 100’ on a two-lane road must utilize a monument sign.
    F. Only 1 sign allowed unless you have 7 acres or more along IH30 and 5 acres or more along all other roads.

Electrical

1. Provide type of lighting
2. Show disconnect location
3. Show the location of the power supply / transformer
4. Provide wire size
5. Provide circuit ampacity
6. Provide Voltage