

## **ERRATA for 2016 Standards of Design and Construction**

FROM: Amy Williams, P.E., Director of Public Works/City Engineer

DATE: March 2018

The City of Rockwall Public Works Department – Engineering Division has issued an errata that includes corrections to the 2016 Standards of Design and Construction. To ensure that the Standards of Design and Construction are accurate and current, we are providing the following summary of the errata changes, as well as the revised pages to which they apply. This includes all previously issued errata as well (March 2018 & January 2018).

## **Summary of Errata Changes**

## Errata - March 2018

Page	Existing Text	Corrected Text			
Appendix D – Example Checklist for Final Acceptance (Residential and Commercial)					
Page 261	Title:	Revised Title to Read:			
	Example - Checklist for Final Acceptance (Residential)	Example - Checklist for Final Acceptance (Commercial)			

Errata – January 2018

Page	Existing Text		Corrected Text			
3. Storm Drainage Facilities						
Page 41	Table 3.3: Minimum Inlet Time of Concentration		Revised to Read:			
	TYPE OF AREA OR LAND USE	MINIMUM INLET TIME (minutes)	TYPE OF AREA OR LAND USE	MINIMUM INLET TIME (minutes)		
		, ,	Parks or Open Areas	<mark>20</mark>		
	Parks or Open Areas Single Family Residential or	15	Single Family Residential or Duplex	10		
	Duplex	10	School	10		
	School	10	Apartments	10		
	Apartments	10	Townhouse	10		
	Townhouse	10	Churches	10		
	Churches	10	Industrial	10		
	Industrial	10	Commercial Business	10		
	Commercial Business	10	Mercantile District	10		
	Mercantile District	10	Retail	10		
	Retail	10	Parking Lot	10		
	Parking Lot	10	Major and Minor Arterials			
	Major and Minor Arterials – R.O.W.	10	– R.O.W.	10		